

Approved For Release	2008/12/05	· CIA-RDP87	T00126R0007	700800007-8
White car i of itelease	2000/12/03	. CIA-INDEGI	100120110001	00000001-0

Secret	
UNCODED	

Warsaw Pact Nonnuclear Threat to NATO Airbases in Central Europe

Secret

NIE 11/20-6-84/D\$ January 1985

Copy 02



Approved For Release	2008/12/05	CIA-RDP871	T00126R0007	700800007-8
Approved i di Neledae	2000/12/00		0012010001	00000001-0

SECRET	

NIE 11/20-6-84/D\$

25X1

WARSAW PACT NONNUCLEAR THREAT TO NATO AIRBASES IN CENTRAL EUROPE

Information available as of 2 October 1984 was used in the preparation of this Estimate.

CONTENTS

CU	JSSION
I.	INTRODUCTION
	A. General
	B. Warsaw Pact Concepts for a War Against NATO in Europe
II.	WARSAW PACT AIR FORCE STRUCTURE AND THREAT TO NATO CENTRAL REGION AIRFIELDS
	A. Tasks
	B. Forces
	C. Command, Control, and Communications
	D. Conventional Munitions
	E. Logistics and Support
	F. The Air Operation
	G. Future Developments
III.	SHORT-RANGE BALLISTIC MISSILES
	A. General
	B. Force Development
	C. SRBM Force Structure in the Western TVD
	D. SRBM Missile Storage and Transport
	E. Impact of Future Systems
	F. SRBM Threat Assessment
IV.	SOVIET SPECIAL PURPOSE FORCES—SPETSNAZ
	A. Introduction
	B. Missions
	C. Organization
	D. Employment of Special Purpose Forces in the NATO Central Region

iii SECRET

		Page
V.	AIRBORNE AND AIR ASSAULT OPERATIONS	25
	A. General	25
	B. Employment	25
	C. Airfield Attack	26
VI.	OPERATIONAL MANEUVER GROUPS (OMGs)	26
	A. General	26
	B. Missions	26
	C. Employment	26
	D. Capabilities: Theory Versus Practice	26
	E. Force Developments	26
VII.	CRUISE MISSILES, RECONNAISSANCE STRIKE COMPLEX, AND SURFACE-TO-AIR MISSILE THREATS	27
	A. Current Developments	27
	B. Future Developments	27
	C. Reconnaissance Strike Complex System	27
	D. Surface-to-Air Missiles	27
VIII.	AN ILLUSTRATIVE SCENARIO OF A WARSAW	

PACT NONNUCLEAR AIR OPERATION AGAINST NATO CENTRAL REGION AIRFIELDS

A. General

B. The Air Operation.....

C. Summary: Future Soviet Airfield Attack Capability....

27

27

28

31

iv SECRET

SECRET	

SUMMARY AND KEY JUDGMENTS

Soviet planners regard NATO's tactical air forces in the Central Region as a formidable threat to their ground, air, and naval forces in a conventional conflict. The Soviets recognize that NATO's air assets provide the bulk of the NATO theater nuclear capability and that the success of NATO ground force operations is dependent upon tactical air support. The Soviets consider the early attainment of air superiority and the destruction or neutralization of NATO's theater nuclear forces to be critical to the Pact's chances for victory in Europe.

The Soviets plan to conduct a Theater Strategic Operation (TSO) against NATO in Central Europe, an area the Soviets describe as the Western Theater of Military Operations (WTVD). It would be characterized by multiple, successive front operations supported by the Strategic Air Forces, the Strategic Rocket Forces, and the Baltic Fleet, and controlled by a single high command of forces in the TVD. We believe the Soviets plan to complete this operation in a period of 20 to 30 days.

We would also expect that, concurrently with initiating a war against NATO in Central Europe, the Soviets would attack NATO's northern and southern regions, but at lesser intensity, to keep NATO from shifting forces from the flanks to Central Europe. We would expect some limited simultaneous air operations against key NATO airfield complexes in Norway designed to establish air superiority over the Norwegian Sea and adjacent waters in order to reduce the vulnerability of air and naval operations in the area.

Pact military planners assign their air forces three general tasks for conventional war in a continental TVD—to gain and maintain air superiority, to destroy the nuclear delivery capability of the enemy, and to support the ground forces. Other theater support roles for the air forces would include close air support, neutralization of enemy reserves, aerial reconnaissance, electronic warfare, airdrop/airlanding operations, and airlift of supplies.

To accomplish their goals, the Soviets have a nonnuclear operational concept, the air operation, designed to neutralize NATO air, air

¹ For the purposes of this Estimate the term "the air operation" refers to the initial air operation involving multiple massed air raids conducted over a period of several days during the initial phase of hostilities.

defense, and theater nuclear resources during the first several days of hostilities. Supporting forces could include short-range ballistic missiles (SRBMs), special purpose forces (Spetsnaz), airborne, and other assets.

The Soviet General Staff, acting as executive agent for the Supreme High Command (VGK), would perform the initial planning and allocation of air forces among commands. The Western theater command would perform the detailed planning and direct the theater air operation.

We believe Pact planners regard destruction of NATO aircraft as the primary way of gaining air superiority and expect airfield attacks to account for many of the aircraft NATO would lose during the air operation. Key to the neutralization of NATO air assets would be the destruction or degradation of NATO airbases. In an attempt to destroy or neutralize NATO's nuclear capability, the Pact would concentrate attacks on those bases from which they expect nuclear delivery aircraft to operate and would also assign high priority to bases housing air defense fighters. The prevention of the early use of these assets might well be enough for the Soviets to regard a preemptive air operation as having fulfilled its objectives.

We believe these to be the principal characteristics of an air operation conducted against NATO's Central Region:

- The Pact would most likely commit elements of two to four strategic air armies, three to five front air forces including non-Soviet Warsaw Pact (NSWP) air forces, and various air defense, transport, and Baltic Fleet naval aviation units in a series of major air raids designed to achieve as much tactical surprise as possible.
- Each major raid would begin with a concerted effort to establish corridors through NATO air defenses, which Pact aircraft would then use to attack airfields, surface-to-surface missile launchers, nuclear weapons storage facilities, command, control, and communications facilities, and other priority targets.
- SU-24 Fencers and Soviet medium bombers would constitute the primary force for attacking airfields and possibly nuclear storage facilities.
- Fighter-bombers from the air forces of the fronts would be used to suppress air defenses and to attack fixed installations (to include airfields) and missile launchers. Other tactical and

strategic aircraft would provide fighter cover, escort, reconnaissance, and radioelectronic combat missions. NSWP air defense fighters would provide strategic air defense of their homelands.

- Aircraft operations would be supported primarily by employment of SRBMs, artillery, and Spetsnaz to attack critical surface-to-air missile (SAM) sites, command, control, and communications sites, and airfields within range.
- Some Soviet and NSWP bomber, fighter-bomber, and fighter aircraft would be withheld for nuclear operations.

We believe that the Pact could have available 2,600 to 4,100 fixedwing aircraft for operations against the NATO Central Region and that it probably has contingency plans for initiating the air operation from a variety of different postures. For offensive air operations in Central Europe, the Warsaw Pact could draw from:

- Strategic Aviation.
- Soviet Air Forces of the Groups of Forces in East Germany and Czechoslovakia and the three Western military districts.
- National Air Forces of East Germany, Czechoslovakia, and Poland.
- Baltic Fleet air forces.

The heart of the air operation would be a series of daylight airfield attacks designed to destroy a portion of NATO's air forces sufficient to establish strategic air supremacy and to reduce substantially NATO's nuclear strike potential. Airbases housing fighter and fighter-bomber wings with nuclear strike roles would be likely top-priority targets. Soviet military writings note that front aviation also would make small-scale attacks against NATO airfields between the massed air raids in support of front objectives.

We believe that, if aircraft attrition rates were substantially higher than expected, the Soviets could be forced to cancel the air operation after only one or two massed air raids—before it accomplished its objective of attaining air supremacy. Factors affecting attrition rates would include:

- Higher-than-expected survivability of NATO's ground-based air defenses.
- NATO airborne warning and control system aircraft and lookdown/shootdown fighters limiting opportunities for Pact aircraft to evade NATO defenses by flying at low altitudes.



- The Soviet reliance on deep attack by medium bombers, which are relatively large and unmaneuverable, and hence particularly vulnerable to SAMs and fighters unless properly supported.
- The lack of fighter escort for any bombers used in attacks against the United Kingdom.
- The proliferation of hardened aircraft shelters at NATO air-bases would force the Soviets to concentrate on closing runways, which would require more air raids over a longer period of time and hence greater exposure to NATO air defenses.
- The Soviets do not have enough hardened shelters to protect most of the aircraft that would deploy forward from the western USSR in the event of a massive reinforcement. We doubt that a large-scale reinforcement by second-echelon front aviation would be likely under most circumstances, however, until the ground forces of the affected second-echelon fronts also deployed forward.

If the Soviets chose to start the war with the air operation, we believe achievement of tactical surprise would be difficult. Warning of the attack could allow NATO sufficient time to launch most of its aircraft, exacerbating potential Pact aircraft attrition and making the NATO airfields less lucrative targets.

We believe the large number of aircraft that the Soviets would use in the massed air raids combined with the loss of control facilities during combat would strain Pact airspace management capabilities and lead to some confusion. Deterioration of command, control, and communications resulting from NATO air attacks would also lead to greater confusion during subsequent raids. Additionally, bad weather would limit the size and effectiveness of the air raids or even force the postponement of the air operation.

We have no evidence that the Soviets would plan to employ chemical weapons during the air operations in the nonnuclear phase of a war with NATO. The use of chemical weapons is not a standard, integral feature of the nonnuclear phase of war. The Soviets probably calculate that large-scale use of chemical weapons would cause NATO to retaliate with nuclear weapons. However, because of the significant Soviet offensive capability, the prudent planner cannot discount their use. While we judge chemical weapons would be employed massively only in the context of transition to the nuclear phase of war, should the success of the air operation be jeopardized by the use of conventional

SECRET				

munitions only, the Soviets would consider the use of chemical weapons against selected targets during the nonnuclear phase. (s)

Through the year 1995, the air forces of the Military Districts and Groups of Forces (MD/GOF) are expected to remain stable in overall size with a slight decrease in numbers of fighters and some growth in ground-attack elements. Though the current MD/GOF organization will remain mostly stable, the Soviets may introduce improved tactics and pursue expanded objectives within the context of the air operation.

Future air operations will reflect the advances in air technology and in operational art and tactics, and are expected to differ from current operations only by degree. We believe the new-generation ground attack aircraft will pose a greater threat to NATO airfields because of their ability to carry improved standoff munitions, low-altitude penetration capabilities, improved onboard and escort electronic warfare systems, better navigation systems and sensors for adverse weather attack, and air-to-air refueling capability for extended range. This enhanced attack capability will require fewer aircraft to achieve desired target damage criteria/norms. In this way, the air operation will be able to maximize the effectiveness of aircraft available to the Soviet planner.

Concerning munitions, we believe future Soviet tactical air-to-surface missiles will have increased launch ranges, improved accuracy, and improved night and adverse weather capability. The Soviets will deploy more effective munitions for airfield attack, including a dual-stage runway-penetrator bomb for increased runway damage, aerially delivered mines to hinder runway repairs, and precision-guided bombs with electro-optical seekers for attacking high-value point targets.

We believe the Soviets will continue to face complicated command and control problems in mass air operations in the Central Region, with future air combat control requiring real-time knowledge of the status and location of both friendly and enemy aerodynamic assets. The Soviets will increase both the capacity and capability of their air communications by large-scale use of digital data communication systems coupled to onboard computers and displays, and will continue to advance those technologies necessary to allow direct communication satellite access from airborne platforms, with emphasis upon expanding the number and types of aircraft with communication satellite capability.

The current SRBM nonnuclear threat to NATO airbases is marginal. The SS-22 and the Scud missile lack sufficient accuracy to be

effective in a conventional airfield attack role. Further, the SS-22 would not constitute a significant threat to airfields because limited numbers will restrict it primarily to the nuclear role. While the more accurate SS-21 is available in sizable numbers and continues to be deployed, its short range restricts its participation in the air operation to attacking the forwardmost elements of NATO's air defense system.

The SRBM threat will grow during the period 1985-95 with the deployment of the improved SS-23, which will have the requisite range and accuracy (50 meters CEP) to attack airfields. The degree of this threat will depend on the numbers of the system deployed, on other competing targets, and on whether specialized airfield attack munitions are developed. Improvements to the SRBM force will give the Soviets an option to employ it in a pin-down attack against some critical airbases and for neutralization of air defense sites in penetration corridors. Such attacks could significantly improve the chance of success of the initial massed air raid. Overall, while SRBMs will probably play a greater role in the air operation, we do not believe they will become in Soviet eyes the primary instrument for gaining air superiority in the NATO Central Region.

We believe that, during the period of this Estimate, Soviet special purpose forces in the WTVD will constitute a significant threat to the airfields of the NATO Central Region, and would be inserted prior to and during hostilities to conduct missions of reconnaissance and sabotage against NATO airfields, air defense, nuclear delivery forces, and other associated facilities. The vast majority of Spetsnaz will not cross the border before the beginning of conventional hostilities, and the Soviets would rely on the confusion of war, and the opening of penetration corridors during the air operation, to allow insertion of Spetsnaz by aircraft.

We believe their primary missions are to search for difficult-to-locate mobile missiles and command posts, to monitor preparations at airfields for nuclear strikes by NATO, and to assess the effects of Soviet air and missile strikes. Consequently, we believe Spetsnaz direct attacks would be limited to a few airbases in the Central Region, if these forces are to perform their other, high-priority missions.

We believe airborne attacks against NATO main operating bases during the early phases of the air operation are unlikely unless the Soviets obtain air superiority over at least a major segment of the Central Region. More likely would be attacks by air assault troops on small civilian and military airfields just in front of advancing Soviet forces to secure airheads. Although the VGK might opt for an airborne operation on the first or second day of the air operation, we believe the Soviets would wait until later to ensure some degree of air superiority and availability of transport aircraft.

A significant development in operational employment and combat organization of Soviet Ground Forces has been the development and employment of tank-heavy exploitation forces at front and army levels called operational maneuver groups (OMGs)—a concept intended for high-speed offensive operations deep into the enemy rear area. OMG operations are planned to disrupt the stability of the enemy rear and the movement of enemy reserves, to destroy major weapon systems, and to facilitate the advance of the first echelon and the commitment of the second echelon. Specific targets include nuclear delivery systems and depots, airfields, critical terrain, river crossing sites, and command posts.

While the OMG is a major component of Soviet combined arms operations, we do not believe it is a major threat to NATO main operating bases in the early days of an attack. The OMG would become a threat only over a period of days following a successful commitment.

Although the Soviets are developing two significantly different types of long-range land-attack cruise missiles, current evidence leads us to believe these are nuclear equipped. By the early 1990s, Soviet long-range cruise missiles will probably have improved CEPs (10 to 30 meters with area correlator update). Cruise missiles with nonnuclear warheads would facilitate attacks against airfields, air defense systems, and command and control facilities, but we cannot assess the likelihood at this time.

Within the last several years the Soviets have been experimenting with the reconnaissance strike complex (RSC) system, which appears designed to counter long-range artillery systems delivering precision-guided munitions or submunitions. We believe the RSC is organized to attack critical mobile targets and that it is unlikely that the Soviets would use RSCs to attack NATO airfields. Virtually all NATO military airfields already are known to the Soviets.

Although unlikely, certain Soviet SAM systems could possibly be employed in emergency situations in a surface-to-surface role. Surface-to-surface use would be inefficient and severely constrained by inade-quate warheads and limited ranges. We believe the limited surface-to-

SECRET	

surface capability of the Soviet SAM systems does not presently pose a conventional threat to NATO airfields.

In summary, we believe that, for the period of this Estimate, the air threat will continue to be the single most significant threat to NATO airbases of the Central Region, followed by the SRBM and Spetsnaz threats. We believe that in the future the Soviets will be able to project airpower deeper into NATO's rear areas through advanced aircraft and weaponry operating under more effective and higher capacity command, control, and communications systems.



	SECKE		_

DISCUSSION

I. INTRODUCTION

A. General

- 1. This Estimate examines the Warsaw Pact nonnuclear threat to NATO airbases in the Central Region. Succeeding chapters address the threat posed by Pact air forces, surface-to-surface missiles, special-purpose forces (Spetsnaz), cruise missiles, and airborne and air assault forces. The final chapter integrates the various threat elements in an illustrative scenario, depicting likely Pact actions against NATO airfields in the early (nonnuclear) phase of an attack. The Estimate also projects the threat into the 1990s to illustrate how it may evolve as the capabilities of the various threat elements develop.
- 2. Soviet planners regard NATO's tactical air forces in the Central Region as a formidable threat to their ground, air, and naval forces in a conventional conflict. The Soviets recognize that NATO's air assets provide the bulk of the NATO theater nuclear capability and that the success of NATO ground force operations is dependent upon tactical air support. The NATO Central Region contains the greatest concentration of airbases, air defense, and tactical nuclear assets in Western Europe. There are approximately 40 peacetime NATO airbases including 10 nuclear delivery bases, nine air defense bases, seven aerial ports of debarkation, and a number of colocated operating bases. (See figure 1.) Additionally, there are other air defense, nuclear, command, control, and communications, and logistics facilities that will also be competing targets. The Soviets consider the early attainment of air superiority and the destruction or neutralization of NATO's theater nuclear forces to be critical to the Pact's chances for victory in Europe.
- 3. The Soviets recognize that NATO would have to depend upon its tactical air forces to redress the imbalance in ground forces. In addition NATO tactical air forces are also a primary nuclear delivery means which the Pact would want to neutralize during the nonnuclear phase of the theater conflict. The Soviets have a nonnuclear operational concept, the air

- operation,² designed to neutralize NATO air, air defense, and theater nuclear resources during the first several days of hostilities. The air operation is a combined arms operation with the air forces as the primary threat to NATO airbases. Supporting forces could include surface-to-surface missiles, artillery, Spetsnaz, airborne, and other assets. While the Soviets would hope to destroy NATO air and nuclear assets, the prevention of the early use of these assets might well be enough for them to regard a preemptive air operation as having fulfilled its objectives.
- 4. We have no evidence that the Soviets would plan to employ chemical weapons (CW) during the air operations in the nonnuclear phase of a war with NATO. The use of chemical weapons is not a standard, integral feature of the nonnuclear phase of war. The Soviets probably calculate that large-scale use of chemical weapons would cause NATO to retaliate with nuclear weapons. However, because of the significant Soviet offensive capability, the prudent planner cannot discount their use. While we judge chemical weapons would be employed massively only in the context of transition to the nuclear phase of war, should the success of the air operation be jeopardized by the use of conventional munitions only, the Soviets would consider the use of chemical weapons against selected targets during the nonnuclear phase.

B. Warsaw Pact Concepts for a War Against NATO in Europe

5. We believe the Soviets plan to conduct a Theater Strategic Operation (TSO) against NATO in Central Europe, an area the Soviets describe as the Western Theater of Military Operations (WTVD). It would be characterized by multiple, successive front operations, with few or no pauses, supported by Strategic Air Forces, Strategic Rocket Forces (SRF), and the Baltic Fleet and lasting 20 to 30 days.

² For the purpose of this Estimate, the term "the air operation" refers to the initial air operation involving multiple massed air raids conducted over a period of several days during the initial phase of hostilities.



6. We would also expect that, concurrently with initiating a war against NATO in Central Europe, the Soviets would launch attacks against NATO's northern and southern regions, but of lesser intensity. The Pact almost certainly would conduct secondary offensives or holding actions in the flank areas to keep NATO from shifting forces from the flanks to Central Europe. Similarly, we would expect some simultaneous air operations against key NATO airfield complexes in Norway, although more limited than those against the NATO Central Region. Such actions would be designed to establish air superiority over the Norwegian Sea and adjacent waters to reduce the vulnerability of air and naval operations in the area.

II. WARSAW PACT AIR FORCE STRUCTURE AND THREAT TO NATO CENTRAL REGION AIRFIELDS

A. Tasks

- 7. Pact military planners assign their air forces three general tasks for conventional war in a continental TVD—to gain and maintain air superiority, to destroy the nuclear delivery capability of the enemy, and to support the ground forces. Soviet theorists believe the initial task is to obtain air superiority; however, the destruction of NATO nuclear delivery means and associated facilities would be carried out simultaneously. Although the Soviets recognize that the battle for air superiority would be continuous, the first several days of hostilities appear to be critical in their planning. During this period they would commit the bulk of their air forces to the air operation in a theaterwide attack against NATO airfields and air defense installations as well as attacks against surfaceto-surface missiles, nuclear-capable artillery, and command, control, and communications facilities. Other theater support roles for the air forces would include close air support, neutralization of enemy reserves, aerial reconnaissance, electronic warfare, airdrop/airlanding operations, and airlift of supplies.
- 8. The Soviet General Staff, acting as executive agent for the Supreme High Command (VGK), would perform the initial planning and allocation of air forces among commands. The Western theater command would conduct the detailed planning and direct the theater air operation.
- 9. We believe Pact planners regard destruction of NATO aircraft as the primary means of gaining air superiority, with airfield attacks to account for many of the aircraft NATO would lose during the air operation. In an attempt to destroy/neutralize NATO's nuclear capability, the Pact would concen-

trate attacks on those bases from which it expects nuclear delivery aircraft to operate. Pact planners would also assign high priority to bases housing air defense fighters.

- 10. The principal characteristics of the air operation against NATO's Central Region are likely to be:
 - The Pact would most likely commit elements of two to four strategic air armies, three to five front air forces, including non-Soviet Warsaw Pact (NSWP) air forces, and various air defense, transport, and naval aviation units in a series of major air raids designed to achieve as much tactical surprise as possible.
 - Each major raid would begin with a concerted effort to establish corridors through NATO air defenses, which Pact aircraft would then use to attack airfields, SSM launchers, nuclear-weapons storage facilities, command, control, and communications facilities, and other priority targets. (See figure 2).
 - SU-24 Fencers and Soviet medium bombers would constitute the primary force for attacking airfields and, possibly, nuclear storage facilities.
 - Fighter-bombers from the air forces of the fronts would be used to suppress air defenses and to attack fixed installations (to include airfields) and surface-to-surface missile (SSM) launchers. Other tactical and strategic aircraft would provide fighter cover, escort, reconnaissance and radioelectronic combat (REC) missions. NSWP air defense fighters would provide air defense of their homelands.
 - Aircraft operations would be supported primarily by employment of short-range ballistic missiles (SRBMs), artillery, and Spetsnaz. Attacks would focus on critical surface-to-air missile (SAM) sites, command, control, and communications sites, and airbases within range.
 - Some Soviet and NSWP bomber, fighter-bomber, and fighter aircraft would be withheld for nuclear operations.
- 11. In general, the Pact would have available 2,600 to 4,100 fixed-wing aircraft to draw upon for operations against the NATO Central Region (see table 1). The number of aircraft available for the first massed raid of the air operation would vary according to the extent to which the Pact moved additional tactical and strategic air units within range of NATO targets. The Pact probably has contingency plans for initiating the air operation from a variety of different postures ranging from employing in-place forces to moving



Figure 2 Illustrative Penetration Corridors




Table 1
Warsaw Pact Fixed-Wing Combat Aircraft
Available for Use in the Air Operation in the
Western Theater of Military Operations a
August 1984

Origin	Type	Number
Primary participants		
GSFG, CGF, Legnica AA,	Fighters	780
Smolensk AA, Baltic Fleet,	Fighter-bombers	770
and East German, Polish, Czechoslovak tactical Air	Fencers	210
Forces	Medium bombers	510
	Reconnaissance/ ECM	360
	Subtotal	2,630
Probable participant if not committed to SWTVD		
Vinnitsa Air Army	Fighters	130
	Fencers	180
	Reconnaissance/ ECM	50
	Subtotal	360
	Total	2,990
Possible participants if Soviet Second-Echelon Front avia- tion participates		
Baltic Military District,	Fighters	550
Belorussian Military District,	Fighter-bombers	500
Carpathian Military District	Fencers	
	Reconnaissance/ ECM	60
	Subtotal	1,110
	Total	4,100
Likely nonparticipants		
East German, Polish, Czechoslovak air defense aircraft	Strategic interceptors	780
	Total	4,880

^a Only about 85 percent of these totals would be available for sustained operations.

additional aircraft to bases within striking range of NATO targets prior to, coincident with, or after launching the initial assault. During the execution of the air operation, most of the air support for front ground operations would be provided by helicopters.

B. Forces

- 12. For offensive air operations in Central Europe, the Warsaw Pact could draw from:
 - Strategic Aviation.

- Soviet Air Forces of the Groups of Forces in East Germany and Czechoslovakia and the three Western military districts.
- National air forces of East Germany, Czechoslovakia, and Poland.
- Baltic Fleet Air Force.

Although some air units of the Baltic, Belorussia, and Carpathian Military Districts could be moved forward to support the initial air offensive, we believe it probable that the majority would remain in the western USSR at the outbreak of hostilities, and then move forward as required.

C. Command, Control, and Communications

- 13. We believe the Soviets continue to face complicated command and control problems in mass air operations in the Central Region. The current Soviet Air Force command and control is supported by HF, VHF, and UHF communications systems. Future air combat control will require real-time knowledge of the status and location of both friendly and enemy aerodynamic assets. An integrated targeting network would be required for target tracking, hand off, and engagement. The Soviets will continue to maintain a vigorous research and development program to upgrade their command, control, and communications systems and emphasize communication security.
- 14. We expect the Soviets will increase both the capacity and capability of their air communications by large-scale use of digital data communications systems coupled to onboard computers and displays. Airborne use of communication satellites will enhance air communication flexibility and permit high-capacity communications to take place over longer paths.
- 15. The Soviets will continue to advance those technologies necessary to allow direct communication satellite access from airborne platforms. Future emphasis will be placed on expanding the number and types of aircraft with communication satellite capabi 25X1 ity. The advent of direct broadcast satellites, expected shortly, will enable aerodynamic systems to pass data to individual ground units over almost limitless ranges.

D. Conventional Munitions

16. Soviet conventional munitions design philosophy has traditionally emphasized simplicity, minimum expense, reliability, and gradual evolution despite a technology base adequate to develop more complex and costlier weapons. We estimate that the more complex weapons will be introduced in an evolutionary manner. In the 1990s, there will be smaller,

20/

smarter ordnance with increased effectiveness (see chapter VIII).

- 17. **Bombs.** The Soviets currently have a wide variety of gravity bombs ranging in weight classes from 50 to 3,000 kilograms. General purpose and fragmentation bombs are available in both low-drag and high-drag versions. The high-drag versions are retarded by ballistic drag rings or parachutes. The parachute-retarded bombs are believed to be suitable for release from 50 to 500 meters above ground level.
- 18. The Soviets are assessed to have a runway penetration bomb consisting of a parachute retardation assembly, booster rocket, and a concrete penetrating warhead. The retardation assembly serves to orient the bomb downward to minimize ricochet and to provide for low-altitude (300 meters) operation. The rocket motor, possibly ignited by a pyrotechnic delay, burns away the parachute and accelerates the warhead. The warhead is designed to perforate the pavement and descend into the base below. The warhead, provided with a short delay train fuzing, is expected to detonate below the pavement, producing extensive cracking, buckling, and heaving of the runway. The assessed physical characteristics and performance for the runway penetration bomb are presented in table 2.
- 19. The Soviets are also assessed to have deployed a 500-kg semiactive laser-guided bomb using the same technology (for example, optics, guidance, and control) as is used with the AS-10 guided missile. This bomb can be employed with either a ground-based or air-

Table 2 Estimated Runway Penetration Bomb Characteristics

Length 2,500 millimeters Weight 250 kilograms Warhead weight 150 kilograms High-explosive (TNT) weight 35 kilograms Impact velocity 260 meters per second Angle of impact 45 to 55 degrees Penetration maximum 4 1.5 meters Crater diameter size b 3 to 5 meters Radius of pavement damage b 15 to 20 meters

borne target designator and is capable of being released in level flight, in a dive, or in a dive toss maneuver. It could be used with any aircraft capable of carrying a 500-kg store and is assessed to use a FAB-500 bomb warhead and to be capable of CEPs of 5 to 10 meters. The guided bomb is intended for use against high-priority targets where accuracy is needed to ensure destruction. The Soviets are also assessed to have operational fuel air explosive (FAE) bombs in the 250- to 500-kg class that are assessed to be compatible with most Soviet aircraft.


- 20. Tactical Air-to-Surface Missiles (TASMs). Since 1971 the Soviets have produced and deployed tactical air-to-surface missiles (TASM) employing antiradiation homing (ARH), semiactive laser (SAL), beam rider, and command guidance systems. The current Soviet TASMs will probably be used as a baseline for the evolutionary development of future TASM systems possibly employing advanced guidance systems as well as improved propulsion. Future TASM design features will probably include lighter weight missile structures providing for a higher warhead mass. Future TASMs could provide the Soviets an improved conventional air-to-surface missile capability for attacking NATO airfields and air defense systems and command, control, and communications facilities (see table 3).
- 21. The Soviets are now striving to develop new TASMs that provide greater launch ranges, lower launch altitudes, launch and leave, television guidance, improved accuracy against fixed and mobile targets, the ability to attack higher frequency radar and communications systems, all-weather operation, and operations in a countermeasures environment. The Soviets continue to emphasize TASM antiradiation munition (ARM) developments directed toward attacking surface-based air defense (AD) weapons and systems. As ARMs become smaller, lighter, and more economical, they will probably be considered for use against emitters such as troposcatter communications systems, other communications systems, battlefield surveillance radars, countermortar counterbattery radars, jammers, navigational transmitters, and possibly airborne emitters as well (for example, early warning radar and data links).

E. Logistics and Support

22. Soviet logistic doctrine is based on a number of assumptions including the belief that a war in Europe would involve extremely high personnel and materiel losses, especially in the initial phase of a war, as well as

a Perforate 0.5 meter reinforced concrete and 1 meter in base below

^b In concrete.



high consumption rates for supplies, particularly ammunition and fuel. The Soviets also assume that supply lines would be extended and vulnerable to enemy air attacks and long-range weapons. Soviet logistic procedures are governed by a number of basic principles including centralized planning, priority to combat supplies, forward distribution, use of all possible resources, and general reliance on rail transportation.

- 23. The Soviet air logistic system is geared to support a short-term (less than 90 days), high-intensity war, and relies heavily on peacetime storage and stockpiling of ammunition, POL (petroleum, oil, and lubricants), and air technical supplies. Over the past few years, however, a substantial increase in POL and ordnance storage capacities at airfields and in reararea depots has greatly enhanced the capability of the Soviet Air Force to support sustained combat. Throughout the Western Theater of Military Operations, the Soviets have established a network of fixed depots that have been assessed to contain sufficient supply stocks to support an initial three-front operation and subsequent operations for at least three weeks of intensive combat operations, though with steadily declining sortie rates. Reserves from central depots in rear areas—if not required elsewhere—should be available to support sustained combat operations for about three months.
- 24. It is believed that most Soviet airbases in the forward area are capable of logistically sustaining

three to seven days of combat operations. In a combat situation, POL will most likely be transported by existing or temporary tactical pipelines to airfields. POL storage sites located on airfields usually are bunkered or partially underground to minimize the damage from attack. Most of the main operating bases have been equipped with hydrant refueling, eliminating the need to refuel aircraft by truck. In addition, most later model aircraft bunkers allow for the fueling of aircraft within the bunker.

- 25. Ammunition stockpiles are dispersed throughout the Soviet Union and Groups of Forces (GOF). The larger facilities are both road and rail served with reveted open storage areas, warehouse/sheds, or bunkers. We believe that there may be three to four air-to-air missile loads for each aircraft at fighter bases, and one to two air-to-surface missile loads for each aircraft at tactical airbases with ground attack aircraft that have an air-to-surface missile (ASM) capability.
- 26. Ordnance is distributed to air units in peacetime primarily by rail, either directly to the airfield or to adjacent railheads, and by truck and air transport. Because both rail and road systems are vulnerable to interdiction, air transport, including helicopters, would become more important in wartime to assure prompt resupply of air units.
- 27. The Soviet Air Forces rely heavily for aircraft spare parts on the distribution of spare parts kits with

each aircraft as it is delivered from the factory or overhaul facility. These kits include all spare parts and special tools required for normal maintenance up to the time of general overhaul, after which new kits are issued. Individual item requisitions are limited to replacing only those parts that fail, malfunction, or are damaged before the expiration of their guaranteed service life.

28. Common problems experienced with the supply of parts include inadequate spares to support a higher-than-anticipated consumption rate, poor distribution practices, low production quotas, and long leadtimes associated with ordering new parts. During wartime, operational air units would attempt to alleviate such problems by stockpiling parts which have a high use rate and resorting to cannibalization, particularly in a short war.

F. The Air Operation

- 29. The Soviets still regard the air operation as the primary means of establishing air supremacy and destroying or neutralizing NATO's nuclear capability. Overall responsibility for the air operation, a joint forces operation, is assigned to the high command in the Western TVD. Nonetheless, the primary role in destroying NATO's air forces in conventional warfare remains with the Warsaw Pact air forces.
- 30. Location and Timing of Attacks. We believe most of the attacks during at least the first few massed air raids of a conventional air operation in the Western TVD probably would be conducted by strategic and naval aviation medium bombers flying low-altitude defense penetration flight profiles and by Fencers deployed or based in the forward area. The Soviets also may intend to attack deeper targets, such as airbases in France and the United Kingdom, during the conventional air operation.
- 31. The timing of the individual massed air raids would be influenced by several operational constraints. Soviet military writers often have noted that achieving some degree of tactical surprise could be critical to success because it would allow the Pact to catch substantial numbers of NATO aircraft on the ground during the airfield attacks and would reduce Pact losses to NATO air defenses. Even though the Soviets have expressed interest in conducting air raids at night to enhance surprise and impair NATO's air defenses, military writers repeatedly have rejected this possibility because of limited training and target acquisition capabilities for offensive operations at night.

Their writings have also noted that the initial massed raids could be spaced as little as seven hours apart.

32. The heart of the air operation would be a series of airfield attacks designed to destroy a sufficient portion of NATO's air forces to establish strategic air supremacy as well as substantially reduce NATO's nuclear strike potential. Airbases housing fighter and fighter-bomber wings with nuclear strike roles would be likely top-priority targets. Soviet military writings note that front aviation also would make small-scale attacks against NATO airfields between the massed air raids in support of front objectives.

- 34. Potential Problems. We believe that, if aircraft attrition rates were substantially higher than the Soviets expect, the Soviets could be forced to cancel the air operation after only one or two massed air raids—before it accomplished its objective of attaining air supremacy. Factors affecting attrition rates would include:
 - Higher-than-expected survivability of the ground-based segments of NATO's air defenses in the face of suppression attacks involving aircraft, SRBMs, and artillery.
 - NATO airborne warning and control system (AWACS) aircraft and lookdown/shootdown fighters limiting opportunities for Pact aircraft to evade NATO defenses by flying at low altitudes.
 - The Soviet reliance on deep attack by medium bombers, which are relatively large, unmaneuverable, and hence particularly vulnerable to SAMs and interceptors unless properly supported.
 - The lack of fighter escort for any bombers used in attacks against the United Kingdom.
 - The proliferation of hardened aircraft shelters at NATO airbases would force the Soviets to concentrate on closing runways requiring more air raids over a longer period of time and hence greater exposure to NATO air defenses.
 - The Soviets do not have enough hardened shelters to protect most of the aircraft that would

deploy forward from the western USSR in the event of a massive reinforcement. We doubt that a large-scale reinforcement by second-echelon front aviation would be likely under most circumstances, however, until the ground forces of the affected second-echelon fronts also deployed forward.

- 35. If the Soviets chose to start the war with the air operation, achievement of tactical surprise could be difficult. Further, if USSR-based medium bombers participated in the first massed air raid, they would have to take off from rear area bases well in advance of the front air forces but could still be detected. Warning of the attack could allow NATO sufficient time to launch most of its aircraft, exacerbating potential Pact aircraft attrition.
- 36. If NATO were able to launch large numbers of aircraft before the Pact attack, the Pact would have to rely heavily on fighter sweeps and escorts to destroy them. Pact air forces are poorly equipped to conduct fighter sweeps over NATO rear areas, however, because of limitations in the air intercept radars and missiles on their Flogger and Fishbed fighters. This problem could be partially rectified in the late 1980s and early 1990s with the deployment of substantial numbers of the SU-27 Flanker (and to a lesser extent MIG-29 Fulcrum) AWACS aircraft, Candid tankers, and an all-aspect infrared-guided air-to-air missile.
- 37. Finally, the large number of aircraft that the Soviets intend to use in the first massed air raid probably would strain Pact airspace management capabilities and lead to some confusion. Deterioration of command, control, and communications resulting from NATO air attacks would lead to even greater confusion in subsequent Pact raids. Additionally, bad weather would limit the size and effectiveness of the air raids or even force the postponement of the air operation.

G. Future Developments

38. Through the year 1995 the air forces of the military districts and groups of forces are expected to remain stable in overall size with a slight decrease in numbers of fighters and some growth in ground attack elements. Though the current MD/GOF organization will remain mostly stable, the Soviets may introduce improved tactics and pursue expanded objectives. Most changes in the MD/GOF aviation forces will be evolutionary in nature and occur as a result of advancing weapon system technology and the Soviet perceptions of the changing threat.

- 39. Some of the factors we estimate the Soviets use to plan the size, structure, and objectives of their future aviation forces include:
 - US strategic air force capabilities.
 - US and NATO cruise missile capabilities.
 - NATO tactical air force capabilities.
 - NATO air defense capabilities.
 - NATO tactical and theater strategic nuclear force capabilities.
 - Employment of Soviet AWACS in an offensive role.
 - Soviet army aviation capabilities for close air support.
 - New Soviet aircraft capabilities.
 - The adoption of new tactics.
 - The Sino-Soviet competition and the Chinese general purpose force capabilities.
 - Soviet aerial refueling.
- 40. In the principal area of concern, Western Europe, the Soviets will continue to give high regard to the capabilities of the NATO tactical air forces, which they credit with the potential to blunt and disrupt a Warsaw Pact combined arms offensive aimed at NATO. We believe they will maintain this view through the mid-1990s and continue to respond with the planning and refinement of a more extensive and efficient air operation.
- 41. Future air operations will reflect the advances in air technology and in operational art and tactics, but are expected to differ only by degree. We believe the enhanced attack capability of new MD/GOF and Strategic Aviation aircraft will require fewer aircraft to achieve desired target damage criteria/norms. In this way, the air operation will be able to maximize the effectiveness of aircraft available to the Soviet planner.
- 42. Another factor which is expected to influence Soviet tailoring of the air forces will be the advanced design features and performance capabilities of the new aircraft deployed between now and 1995. We believe these new-generation aircraft will pose a greater threat to NATO airfields because of their ability to carry improved stand-off munitions, low altitude penetration capabilities, better navigation systems and sensors for adverse weather attack, and air-to-air

SECRET	

refueling capability for extended range. Improvements in aircraft reconnaissance systems are expected to include the expanded use of remotely piloted vehicles drones.

- 43. During the next decade more Soviet aircraft will be equipped with onboard self-protection electronic warfare (EW) systems. In the escort role, the imminent deployment of electronic countermeasures (ECM) Fencer will give the Soviets a more credible capability to provide EW support for air raids in NATO's rear areas. The combination of improved onboard and escort EW systems will significantly enhance Soviet penetration capabilities.
- 44. During the next 10 years we believe the Soviets will give emphasis to reequipment of the Soviet air forces based in East Europe, and in this period we expect the non-Soviet Warsaw Pact countries gradually to modernize their forces as well. The pace of the NSWP modernization will be much slower and limited to those systems the Soviets are willing to release/sell to their East European allies and which they can afford to purchase. However, we anticipate progress in phasing out the older generation aircraft and broader introduction of newer aircraft. We believe the NSWP countries will receive the new generation Fulcrum aircraft about 1990. The NSWP countries will also attempt to expand and modernize their ground attack capabilities in order to provide better support for their own ground forces.
- 45. We believe the number of aircraft in future fighter and fighter-bomber regiments for almost all types of new generation aircraft will be determined by the Soviet estimate of the effectiveness of the new aircraft but that the three-squadron regimental structure will remain. Aircraft inventories (table 4) of the different types of units will vary according to the type of aircraft assigned, and the operational readiness rate will remain about 85 percent.

III. SHORT-RANGE BALLISTIC MISSILES

A. General

46. Over the past 20 years, the Soviet Union has strived to improve the range, accuracy, and readiness of its SRBM systems. In the late 1950s, the Soviets developed the FROG-7, Scud B, and SS-12 SRBMs, which provided most of the Ground Forces nuclear striking power throughout the 1960s and 1970s. During the mid-to-late 1960s, the Soviets began development of two new SRBMs, the SS-21 and SS-23, to

replace the FROG-7 and Scud B, and the SS-22, an improved version of the SS-12 (Scaleboard). These three systems are more capable than their predecessors (see table 5), and two of them, the SS-21 and SS-22, are now being deployed. Although nuclear delivery remains a major role, SRBMs with improved accuracy and with nonnuclear warheads become more effective and attractive for use against fixed and mobile targets to include airfields and air defense facilities.

47. The Soviets are continuing their efforts to in-							
crease SRBM system effectiveness,							

B. Force Development

- 48. The Soviets classify missiles primarily by operational range. Tactical missiles (or rockets) include the FROG series and the SS-21. Operational-tactical missiles include the Scud series, the SS-22, and the SS-23.
- 49. The Soviets have committed substantial resources to the development of new or improved SRBMs employing improved inertial or terminal guidance, propulsion, and warhead technology. Available data on these systems reflect a definite trend toward improved accuracy, greater range, reduced reaction time, increased reliability and survivability, and broader warhead options, particularly with conventional munitious.
- 50. Through the early-to-mid-1960s. Soviet writings emphasized that the principal role for tactical and operational-tactical SRBMs was as the main nuclear delivery means of the ground maneuver forces. However, by the late 1960s, an additional role of SRBMs could be noted in Soviet theoretical writings. Although nuclear delivery remained the primary role, serious consideration was being given to the employment of SRBMs in a conventional role as well.
- 51. From the Soviet book entitled Artillery and Rockets (ed. Marshal of Artillery Kazakov), dated 1968, are listed these benefits of ICM-armed missiles in terms of range and destructive effect:
 - Replacement of a 500- to 1,000-kg warhead with a quantity of submunitions of total equal weight

25X1 25X1

³ The US Weapons and Space Systems Intelligence Committee proposes to retire the SS-22 missile system designator and assign Mod 1 and Mod 2 designators to the SS-12. The SS-12 Mod 2 designator would be assigned to the improved accuracy variant of the SS-12 which has carried the SS-22 designator

Table 4 Warsaw Pact Fixed-Wing Combat Aircraft Available for Use in the Air Operation in the Western Theater of Military Operations, 1995

	Fighters	Fighter- Bombers	Fencer Type	Medium Bomber	Reconnais- sance ECM	Total
GSFG	240	310	30	()	100	680
CGF	120±80 a	0	()	0	15	135 95 a
Legnica AA	100	0	$180/270^{\circ}$	O	60	340 430 a
Smolensk AA	0	0	0	325-180 a	60	385 240 s
Baltic Fleet	0	40	0	60	25	125
East Germany	0	50	0	0	1.5	65
Poland	110	210	()	0	75	395
Czechoslovakia	105	155	0	0	75	335
Subtotal	$675/635$ 4	765	210/300 a	385/240 4	425	2,460/ 2,365 a
Vinnitsa AA	100	0	180	0	45	325
Subtotal	775/735 a	765	$390/480^{\mathrm{ld}}$	$385/240^{\circ 4}$	470	2,785/ 2,690 a
Baltie Military District	240	120	30	()	40	430
Belorussian Military District	240	120	60 30 a	O	45	465 435 a
Carpathian Military District	160-120 a	120 175 a	60 0 a	0	40	380 335 ª
Subtotal	$640/600$ $^{\rm d}$	$360/415$ $^{\mathrm{a}}$	150/60 a	0	125	1,275/ 1,200 a
Total	1,415/1,335 a	1,125/1,180 a	540	$385/240^{\circ}$	595	4,060/ 3,890 a
GDR Strategic Interceptors	320	0	0	0	0	320
Polish Strategic Interceptors	310	0	0	0	()	310
Czechoslovak Strategic Interceptors	145	0	0	0	0	145
Subtotal	775	0	0	0	0	775
Total	2,190/2,110 a	1,125/1,180 a	540	385/240 d	595	4,835/ 4,665 ^a

Dual figures reflect Community differences.

Table 5
Technical Characteristics of Soviet SRBMs

	FROG 7A/B	SS-21	SS-1c Seud	SS-23	SS-12	SS-22
Initial operational capability	1965 69	1976	1961	1981 a	1965	1977
Maximum range (kilometers)	70	120	300	500	900	900
Guidance	None	Inertial	Inertial	Inertial	Inertial	Inertial
CEP (meters) b	380	200-300	900	300-350	600	300-400

Although available in 1981, deployment has not been confirmed.

25X1

25X1

25X1

^b At two-thirds range

increases the total area of destruction of a single missile

The submunitions may be of the most diverse types and destructive power: fragmentation, armor piercing, shaped charge, incendiary, smoke, and others.

The destructive effect of a single ICM warhead equates to the simultaneous salvo of 40 to 100 or more artillery pieces.

52 Current information indicates that the Soviets plan for multiple roles and fire support missions for their SRBM force. Their ability to employ SRBMs against a broad target array and obtain the required or desired target damage is dependent on such factors as: (1) the technical characteristics of the missiles, warheads, and ground support equipment: (2) available forces and dispositions: (3) logistics posture, including support units and missile and warhead stocks; (4) target detection and location capabilities; and (5) a command, control, and communications system that provides for the timely allocation of assets and execution of strikes against operational requirements.

C. SRBM Force Structure in the Western TVD

53 Within the Western TVD there are approximately 700 SRBM transporter-erector-launchers .TELs); of these launchers, 500 are in the Soviet forces and 200 are in the non-Soviet Warsaw Pact forces. (See table 6.)

54. A FROG or SS-21 battalion is normally subordinate to each tank or motorized rifle division and

Table 6 Western TVD SRBM Launchers (August 1984)

	FROG 8-5-7	SS-21	Seud A. B	88-22	Fotal
GSFC.	24	56	114	30	221
NGF	5	0	18	0	26
CGF	20	()	12	12	1-1
Baltic Military District	36	0	12	()	48
Belorussian Military District	1.1	1	60	12	120
Carpathian Military District	40	S	36	Ó	5.4
Last Germany	20	1	20	()	1-1
Poland	-46	0	26	()	72
Czechoslovakia	36	0	28	()	64
Total	274	72	326	54	726

normally has two firing batteries, each with two TELs for a total of four TELs per battalion. Some NSWP FROG battalions have only two or three TELs.

55. Soviet SS-Ic Scud brigades are subordinate to armies and fronts. A nominal Scud brigade has three firing battalions. Each firing battalion has two firing batteries, each with two TELs. In actuality, Scud brigades vary in structure from a six-TEL configuration in some NSWP brigades, to a high of 27 TELs in the two GSFG front-level brigades. When initially deployed, the SS-23 probably will replace the Scud on a one-for-one basis.

56. The SS-22 in peacetime is subordinate to a military district or Group of Forces and in wartime will become an asset of the theater of military operations or front.

D. SRBM Missile Storage and Transport

57. Soviet readiness procedures call for all units to clear garrison areas and assemble at dispersal points, using dedicated transport before or at the onset of hostilities. We currently assess the number of missiles in launch units to be two missiles per launcher for Scud units, four missiles per launcher for FROG units, three missiles per launcher for SS-21 units, and two missiles per launcher for SS-22 brigades. On the basis of an assessment of the carrying capacity of Soviet and NSWP support units within the Western TVD, estimates of four to six missiles per Scud, SS-21, FROG, and two per SS-22 launchers are reasonable. This includes missiles in lannch units, mobile rocket technical base (PRTBs), independent missile transport battalion (ORPDs), and front Rocket Technical Base (RTBs). Therefore, multiplying the number of launchers by these ranges, we arrive at an assessed missile inventory available on D-day that would be in launch units and the rear area support structure (see table 7)

58. The warhead types associated with SRBMs are nuclear, unitary high explosive, subprojectile ICM, and CW (see table 8). The possibility also exists for the deployment of ICM with concrete penetrators, small and large area denial mines, and small antipersonnel bomblets. Any system capable of dispensing chemicals would be capable of dispensing biological agents.

E. Impact of Future Systems

59. Although information on SRBM warheads is limited, future sytems could employ any number of warhead types currently assessed to exist for other Soviet delivery systems but not yet identified or associated with SRBMs. Currently, there is no direct

25X1

Table 7 Assessed Missile Inventory in the Western TVD Available on D-Day (August 1984)

	FROG		SS-21		Seud		SS-22	
	Launchers	Missiles	Launchers	Missiles	Launchers	Missiles	Launchers	Missiles
Groups of Forces	52	208- 312	56	224- 336	144	576- 864	42	84
Non-Soviet Warsaw Pact	102	408- 612	4	16- 24	74	296- 444	()	0
Western Military District	120	480- 720	12	48- 72	108	432- 648	12	24
Total	274	1,096- 1,644	72	288- 432	326	1,304- 1,956	54	108

Table 8
Currently Assessed SRBM Warheads

FROG 7 SS-23 SS-22 SS-21 Seud and Mod and Mod and Successor Nuclear/ Nuclear/ Warhead Nuclear/HE Nuclear/HE Nuclear/HE ICM/CW ICM/CW ICM a/CW ICM a/CW ICM a/CW a

a Possible.

systems.

evidence of the Soviets' developing "smart" submunitions for their SRBMs, however, precision-guided munitions (PGMs) are available for aircraft and artillery

60. The development and deployment of improved SRBM airframes, guidance, improved range, warheads, and ground support equipment will provide more reliable, responsive, and flexible systems with enhanced survivability, enabling Warsaw Paet commanders to increase the role and missions of their SRBM systems with a higher assurance that operations can be executed successfully without the employment of nuclear weapons.


61. In terms of an air operation in the Western TVD, the Warsaw Pact will recognize multiple gains with the projected deployment of the improved SS-23 between 1985-1990. When the Soviets develop effective munitions to complement the projected terminal guidance capability of the improved SS-23, many of NATO's air defense aircraft could be pinned down for significant periods of time (figure 3). Airborne aircraft could be forced to recover at bases that may not have

shelters or appropriate support facilities. We believe the successor to the SS-22 will be available only in limited numbers, and primarily employed in the nuclear role. Its range capability may allow the Soviets to target a few of the highest priority objectives in the eastern part of the United Kingdom.

62. Although the new generation of SRBMs provides the Soviets with targeting capabilities not previously available, there are weaknesses to the missile system operations which potentially can be exploited:

- Command and Control. The complexity of Soviet operations places a major burden on the command and control system. The scale and scope of Soviet operations are predicated upon complete integration of the forces, meticulous planning, exact timing, and precise execution. If execution of these plans and their targeting data base could be disrupted, it is possible that the entire operation would be degraded.
- Support Operations. Successful interdiction and prevention of support units to keep pace during





rapid offensive operations could seriously degrade the resupply of missiles for follow-on operations, although missiles and warheads can be delivered by air under emergency circumstances.

— Battlefield Crowding/Disposition. To bring to bear sufficient missiles to execute D-day strikes against priority targets in the NATO rear area, missile units would have to be deployed well forward. Because of geographic constraints, these systems could be heavily concentrated. Additionally, the heavy support structure required to service the missile units would be located in the proximity of other support units.

F. SRBM Threat Assessment

63. The current SRBM nonnuclear threat to NATO airbases is marginal. The SS-22 and the Scud missile lack sufficient accuracy to be effective in a conventional airfield attack role. Further, the SS-22 would not constitute a significant threat to airfields because limited numbers will restrict it primarily to the nuclear role. While the more accurate SS-21 is available in sizable numbers and continues to be deployed, its short range restricts its participation in the air operation to attacking the forwardmost elements of NATO's air defense system.

64. The SRBM threat will grow during the period 1985-95 with the deployment of the improved SS-23, which will have the requisite range and accuracy (50 meters CEP) to attack airfields. The degree of this threat will depend on the numbers of the system deployed, on other competing targets, and on whether specialized airfield attack munitions are developed. Improvements to the SRBM force will give the Soviets an option to employ it in a pin-down attack against some critical airbases and for neutralization of air defense sites in penetration corridors. Such attacks could significantly improve the chance of success of the initial massed air raid. Overall, while SRBMs will probably play a greater role in the air operation, we do not believe they will become in Soviet eyes the primary instrument for gaining air superiority in the NATO Central Region.

IV. SOVIET SPECIAL PURPOSE FORCES— SPETSNAZ

A. Introduction

65. Soviet special purpose forces constitute a significant threat to the airfields, nuclear delivery forces and

storage facilities, air defense, and command, control, communications, and intelligence of the NATO Central Region. In wartime, they are intended to operate behind enemy lines, independent of regular Soviet forces, for extended periods of time, conducting reconnaissance, sabotage, and/or destruction of a wide variety of key targets. The term Spetsnaz is most commonly used in reference to the special-purpose forces of the Chief Intelligence Directorate (GRU) of the Soviet General Staff. GRU Spetsnaz brigades are assessed to be in 11 of 16 military districts, in the Group of Soviet Forces in Germany, and probably the four fleets. The Central and Southern Groups of Forces and selected armies are assessed to have Spetsnaz companies. Total peacetime strength of active Spetsnaz units is estimated at 11,000 to 13,000, with the potential wartime strength of 20,000 to 25,000.

B. Missions

66. The primary mission of Spetsnaz troops in a theater war is to reconnoiter and report on activity at enemy airfields, nuclear storage sites, nuclear weapons delivery locations, and associated facilities. In order to accomplish this, we believe Spetsnaz teams would attempt to infiltrate into the target area immediately prior to and at the outbreak of hostilities and would seek to position themselves near their targets to facilitate reconnaissance. Clandestine agents already in the target area would provide intelligence and logistic support to the teams.


67. The transition to wartime operations would begin with reconnaissance of predetermined targets for reporting back via radio to the Front Intelligence Directorate. The decision to employ Spetsnaz teams in a direct action role would be made by command authorities at the front level or higher and would depend upon circumstances, including, for example, the nature of the target, the battle situation, the availability of other resources (rocket, artillery, or air attack) to respond rapidly, the value of continued Spetsnaz reporting for repeat strikes by other forces, and the chances of the enemy immediately employing nuclear weapons. Some Spetsnaz teams may be initially assigned targets for sabotage rather than for reconnaissance. Also, teams assigned reconnaissance missions against mobile nuclear targets are probably authorized to attack these targets if launch appears imminent.

C. Organization

68. Each military district that forms a front in wartime probably has a Spetsnaz brigade. At least



Figure 4
GRU Special Purpose Troops (Spetsnaz) Brigade



303528 8-84

three brigades would be of immediate concern to the NATO Central Region. Although unconfirmed, a Spetsnaz brigade is also believed to be present in the Baltic Military District. Spetsnaz brigades are reportedly organized as shown in figure 4. The headquarters company is believed to be staffed by extended-term personnel, that is, officers and warrant officers who are proficient linguists and are highly trained in sophisticated survival techniques.

69. The strength of an "average" brigade is assessed at approximately 700 personnel. During wartime, Spetsnaz brigade personnel and associated support agents for large fronts could number as many as 2,200. A Spetsnaz brigade at front could have approximately 100 teams of five to 12 soldiers each. Army-level companies could have as many as 10 subordinate teams. Considering that sizable NSWP special-purpose forces exist, albeit of mixed capability, we assess there could be approximately 300 to 500 Spetsnaz-type teams available for deployment against the NATO Central Region.

D. Employment of Special Purpose Forces in the NATO Central Region

71. Although a small number of agents might be inserted covertly, disguised as civilians, before the beginning of hostilities, the vast majority of Spetsnaz teams will not cross the border before the beginning of conventional hostilities. The detection of armed Spetsnaz teams inserted by aircraft before conventional

25X1

25X1

25X1

hostilities could result in the loss of operational surprise.

72. Very little is known concerning the methods of attack a Spetsnaz unit might use against airfields. For discussion the following method is suggested: a Spetsnaz platoon of about 30 members may be airdropped as close to the target as possible in the early evening hours. The unit would divide into four to six teams. each team with specific responsibilities including capturing vehicles and personnel for the purpose of infiltrating the target. Automatic mines could be positioned during the night near the ends of the landing strip and other airfield facilities. Early in the morning, several teams might conduct a rapid attack against exposed aircraft, personnel, and facilities. As aircraft began to take off, the implaced mines would automatically activate, destroying the aircraft in the air. The teams would quickly depart the target area and hide during the day. During the night, the unit would be resupplied with munitions and armaments by airdrop at a previously arranged location. Similar actions would be repeated again the following night. Attacks might also be initiated against pipelines, powerlines, communication lines, aircraft in the open, and against fuel dumps with standoff weapons (rockets) received during resupply.

73. After a mission is complete, the teams may link up with follow-on forces, be airlifted out of the area if possible, or exfiltrate separately or in small groups back to their lines, destroying targets of opportunity along the way. The composition of a Spetsnaz team and the weapons and equipment used are dependent on the mission, means of infiltration, the nature and significance of the target, the security provided to the target, the amount of dispersal available in the enemy's rear, and the depth of the operation within the enemy's rear.



V. AIRBORNE AND AIR ASSAULT OPERATIONS

A. General

75. Airborne and air assault operations could pose a threat to NATO airfields, air defenses, and associated

facilities within the NATO Central Region. Early in the hostilities, targets would include forward-deployed forces and river crossing sites, and in the later stages of the offensive, targets would be deeper in the TVD. The employment of the airborne divisions would be controlled by the Supreme High Command, and would be dependent on limited Soviet military transport aviation lift capacity. Also, air superiority and the nature of the objective would influence the size of the airborne force to be employed.

76. Opposite the NATO Central Region are four front air assault brigades in the western MDs and GSFG, and about 10 air assault battalions. These units provide the theater, front, and army commanders with a flexible, well-armed force that could be used early in a conflict against targets in NATO's tactical depth, such as air defense assets, command, control, communications, and intelligence systems, and helicopter forward area arming/refueling points (FAARP), as well as occupation of key terrain and the destruction of tactical nuclear delivery systems.

B. Employment

77. Airborne Divisions. Although the Soviets might opt for an airborne operation on the first or second day of the air operation, we believe they would wait until later to ensure some degree of air superiority and the availability of transport aircraft. The Soviets might be more inclined to attempt an airborne operation early in hostilities against the NATO flanks, where NATO air and air defenses may be perceived to be less of a threat.

78. Future airborne operations will probably be of regimental size to reduce detectability, maintain the element of surprise, and ease the demands on VTA assets. This does not negate the fact that the Soviets could conduct a division-size operation if they deemed that the benefits of such an operation outweighed the inherent risks.

79. Air Assault Brigades/Battalions. Front- and army-level air assault units will be used early in the conflict to secure key terrain, raid command, control, communications, and intelligence installations, and destroy nuclear delivery and air defense systems. The depth of employment may be up to 60 kilometers in an army-controlled operation. The limited fixed-wing transport assets at front level and competing requirements for VTA would influence the size of the operations. At present, the principal aircraft at front for conduct of an air assault operation are the MI-8 Hip and the MI-6 Hook.



C. Airfield Attack

80. Airfield attacks can be made by airborne or heliborne forces, depending upon the distance from Pact forces. Soviet writings have stated that fighter-bombers or attack helicopters would provide initial preparation fire. The assault force, lightly equipped and armed, would drop, secure the runway, and eliminate remaining point defenses. Then the main body of the force would be airlanded, would complete elimination of resistance, and would secure the base.

81. Airborne attacks on NATO main operating bases (MOBs) are regarded as unlikely unless the Soviets obtain air superiority over at least a major segment of the Central Region. More likely would be attacks by air assault troops on small civilian and military airfields just in front of advancing Soviet forces to secure airheads.

VI. OPERATIONAL MANEUVER GROUPS (OMGs)

A. General

82. The OMG is a concept for operations intended to conduct high-speed offensive operations deep into the enemy rear area. OMG operations are planned to disrupt the stability of the enemy rear, destroy major weapon systems, and facilitate the continuing advance of the first echelon and the commitment of the second echelon. Specific targets include nuclear delivery systems and depots, airfields, critical terrain, river crossing sites, and command posts. The OMG also may be used to interfere with mobilization and the movement of enemy reserves. The OMG can be employed at army or front level. It may be designated prior to an operation as part of the initial plan or during an operation to exploit an unforeseen opportunity. The OMG will normally be committed prior to the commitment of second-echelon forces.

B. Missions

83. The OMG is normally committed through penetrations made by the first echelon in the enemy defenses with the mission of executing rapid and deep exploitation early in the offensive, disrupting enemy lateral maneuver and reinforcement; disrupting command, control, and communications and logistics; and seizing key objectives that will ensure the rapid advance of the main forces. These tasks require accurate and timely target reconnaissance and close coordination between OMG elements and other frontal forces.

C. Employment

84. An army OMG may be committed about the time the first-echelon division is expected to break through the main defense. A front OMG probably will be committed when the front's first-echelon armies attain their immediate objectives. Although the OMG may be introduced as a single force dispersed in width and depth, it is more likely that the OMG will come through the defensive zone in at least two locations simultaneously to fragment enemy first-echelon forces and increase the difficulty for the enemy commander to identify the main attack, and to reduce the OMG's vulnerability to enemy air and nuclear attack.

85. There are two major offensive variations in how the operational maneuver group may be employed. An OMG may act somewhat in isolation, conducting operations well apart from the axes of the main effort and separate from the second echelon and reserves. An OMG may also be employed to execute encirclement operations.

86. Soviet military planners stress that assault by airborne and/or heliborne units is essential to the early success of deep operations by OMGs. These units must be inserted in sufficient numbers to secure critical objectives such as airfields, road junctions, bridges, and fording sites along the principal routes of advance of OMG forces and to disrupt the cohesiveness and integrity of enemy defenses. The Soviets anticipate that this activity would facilitate the OMG operations.

D. Capabilities: Theory Versus Practice

87. High-speed deep operations by operational maneuver groups would be extremely difficult for any commander to execute successfully. The timing of commitment, the dispersion, and the rate of advance envisioned for deep operations pose very complex problems for commanders and staffs in the areas of command, control, communications, and intelligence, and logistics. Intelligence must be extremely good if the group is to be committed when and where the enemy is least prepared to oppose it. Resupply of the OMG will require considerable air and ground cargo transportation assets, detailed logistics planning, and reliable ground and air defense to keep open supply corridors to OMGs on the advance.

E. Force Developments

88. While there appears to be no fixed organization for an OMG, the New Type Army Corps (NTAC) may represent a possible solution and probably would be



used as a front OMG. Should several NTACs be established in the WTVD for frontal operations, the NATO Central Region would be faced with the prospect of additional highly mobile forces that could be committed early in an attack to facilitate the front commander's plan of attack against NATO high-priority targets, such as the airfields, and to exploit weaknesses in NATO defenses.

89. Though not the primary threat, OMGs could attack NATO airbases in the early days of the war. This would occur if the airbase is within the OMG's zone of operation and the OMG advances sufficiently to reach the base. This could happen as early as day three or four of the war for an army OMG and day five or six for a front OMG.

VII. CRUISE MISSILES, RECONNAISSANCE STRIKE COMPLEX, AND SURFACE-TO-AIR MISSILE THREATS

A. Current Developments

90. There are three subsonic cruise missiles: the SS-NX-21 sea-launched cruise missile, the SSC-X-4 ground-launched cruise missile (GLCM), and the AS-15 air-launched cruise missile (ALCM). Deployment of the AS-15 began in 1984, with the SS-NX-21 and SSC-X-4 expected in 1985-86. The SLCM, SS-NX-24, will probably be deployed in the period 1985-86. A GLCM variant may also be fielded. These missiles are assessed to be nuclear equipped.

B. Future Developments

91. By the early 1990s Soviet long-range cruise missiles will probably have better CEPs (10 to 30 meters with area correlator update), longer ranges, lower radar and infrared observables, and improved engines and fuel types. A conventionally armed (high-explosive) cruise missile would facilitate attacks against airfields, air defense systems, and command and control facilities. If a high-explosive warhead is developed, however, the range of the missile would be reduced because of the heavier payload weight. By the mid-1990s, developments might include a highly advanced conventional warhead to destroy runways or a delayed action warhead to deny the use of runways. Chemical warheads could also be developed for these cruise missiles.

92. Currently, there is no evidence to indicate the Soviets are testing and developing medium-range cruise missiles. We believe, however, that by the early 1990s the Soviets probably will have tested and deployed medium-range cruise missiles as a result of

spinoff technology from the current long-range cruise missile programs. It is possible that land attack cruise missiles armed with conventional warheads could be assigned to theater forces to assist in suppression of air defense missile sites and airbases, but we cannot assess the likelihood at this time.

C. Reconnaissance Strike Complex System

93. Within the last several years the Soviets have been experimenting with the reconnaissance strike complex (RSC) system, which appears designed to counter integrated systems for target acquisition and fire control. The RSC also may have been developed out of Soviet concern for the threat posed by long-range systems capable of delivering precision-guided munitions or submunitions and is assessed to be able to operate as an autonomous fire entity to engage ad hoc targets. However, it is unlikely that the Soviets would use RSCs to attack large, fixed sites such as NATO airfields.

D. Surface-to-Air Missiles

94. Although it is unlikely, certain Soviet SAM systems could possibly be employed in emergency situations in a surface-to-surface role. We have no evidence, however, that the Soviets have conducted exercises or have tested land-based SAM systems in a surface-to-surface role. The SA-2 and SA-3 strategic SAM systems are probably capable of operating in a surface-to-surface mode but at significantly limited ranges—less than 40 kilometers. Neither the SA-5 nor the SA-10 strategic SAM systems has a surface-to-surface capability and as such does not pose a threat to NATO airfields, although the SA-5 strategic SAM system could be targeted against critical NATO airborne assets.

95. The effectiveness of Soviet SAM systems is fully realized when utilized as designed—to acquire, track, and destroy airborne targets. Surface-to-surface use would be inefficient and severely constrained by inadequate warheads and limited range. We believe the limited surface-to-surface capability of the Soviet SAM systems does not presently pose a conventional threat to NATO airfields.

VIII. AN ILLUSTRATIVE SCENARIO OF A WARSAW PACT NONNUCLEAR AIR OPERATION AGAINST NATO CENTRAL REGION AIRFIELDS

A. General

96. The Warsaw Pact threat to NATO airfields is a subset of larger questions of control of the air and control



over NATO's nuclear escalatory option. Pact planners believe that NATO's tactical air forces and nuclear weapons in the Central Region would be a formidable threat to a successful Pact offensive. Consequently, they consider that the Pact's early attainment of nuclear and air superiority would be essential. The Warsaw Pact plans to achieve air superiority and neutralize much of NATO's nuclear delivery capability by conducting a coordinated theaterwide nonnuclear air operation covering as much as the first week of the war.

97. The air operation is a combined arms operation consisting of a series of massed air raids executed in coordination with artillery, air defense forces, SRBM attacks, electronic warfare, Spetsnaz, and possible assaults by airborne and heliborne troops. Each massed air raid would be planned to achieve some degree of tactical surprise and would be launched through corridors cleared in NATO air defenses, principally by frontal assets.

B. The Air Operation

98. In general, the Warsaw Pact would have available 2,600 to 4,100 fixed-wing aircraft to draw upon for air operations (see table 1 on page 13). On the basis of Soviet writings, we believe the Soviets would group and prioritize targets by type (that is, nuclear related, conventional air, air defense, and command, control, communications, and intelligence) for the air operation. Initial Soviet efforts would focus on creating about four main corridors through NATO air defenses. Front and army assets, to include aviation, missiles, rockets, artillery, and radioelectronic combat means, would play a major role in air defense suppression and the establishment of penetration corridors. (See figure 2 on page 12.)

99. On the first day of the war, two or three massed raids would be planned. The main attack force would be strategic aviation units. The interval between the time one massed air raid commences and the next reaches NATO airfields could range from about seven to 12 hours. However, additional attacks, primarily by frontal air forces, could occur during the interval. The number of massed raids would be reduced to one per day after the first two or three days of conflict.

100. While nuclear-related objectives would be the first priority for attack, the Pact would seek to suppress NATO air defense assets before using fighter-bombers and bombers against nuclear objectives. Front assets would provide principal support against air-defense-related objectives. The main strike force of fighter-bomber and bomber aircraft would be targeted against the high-priority nuclear and air superiority objectives.

102. During the air operations, current SRBM systems could pose a threat to a selected number of NATO airfields and associated facilities. Scuds and possibly SS-22s employed just prior to the initial massed air raid could harass or temporarily disrupt NATO aircraft attempting to respond to the Soviet attack. Continued SRBM attacks could affect both sortie generation and recovery operations of selected NATO airfields. The short range of the SS-21 and FROG prevent their use against airfields in the Central Region at the beginning of the war. Currently, only about 30 percent of NATO airfields could be engaged with the SS-21 SRBM system by D+3 and about 65 percent by D+5 as depicted in the suggested scenario (figure 6). NATO airfields may also be interdicted when in range of other indirect fire weapon systems.

103. The use of chemical weapons is not a standard, integral feature of the nonnuclear phase of war. Soviet intentions for such use are unclear and the evidence ambiguous. However, a chemical attack against a NATO airfield ill prepared for such an event—not having the proper chemical protection and decontamination equipment and facilities—could severely disrupt operations if not entirely prevent them. On the other hand, they may determine that use of improved conventional munitions will provide better results while avoiding such consequences as the requirement to operate in a contaminated environment, the unpredictability of chemical weapons, or the risk of provoking an immediate nuclear response by NATO. Nevertheless, the comprehensive chemical warfare capabilities of the Soviets require that the prudent planner consider the possibilities of chemical weapons use from the outset of hostilities.











Figure 6 Short-Range Ballistic Missile (SRBM) Capabilities

- NATO airbase
- + Airfield serving as aerial port of debarkation
- [__] HAWK missile coverage against high-altitude targets







C. Summary: Future Soviet Airfield Attack Capability

104. General. Current Soviet airfield attack capability suffers from a number of weaknesses. The first is the limited capability of current Soviet fighters to provide cover to their attack force. The second weakness is the limited capability of sensors and weaponry of current fighter-bombers. A third problem area is the marginal capability of current SRBMs in the airfield attack role. The fourth weak area involves the limited Soviet ability to direct the air operation. This is caused by deficiencies in the current command and control system that limit the size of the force that can be effectively employed and directed.

105. Aircraft. The numerical size of the air threat to NATO airbases will not change significantly by 1995. (See table 4.) However, there will be major qualitative upgrades to the force, which will result in a significant increase in the capability of both the air-to-air and ground attack forces to carry out the airfield attack mission, particularly opposite NATO's Central Region.

106. Fighters. While we expect the number of dedicated fighters to decrease slightly, this will be more than compensated for by qualitative improvements, which will produce a more offensively oriented fighter force. Fighters deployed in the mid-1990s will be highly maneuverable and able to conduct both close-in and beyond-visual-range attacks. These new fighters will possess lookdown/shootdown and multitarget tracking and engagement capabilities. Future air-to-air missiles may feature ranges up to 150 kilometers by 1995. Semiactive radar and infrared sensors will probably continue to predominate, though there will be increased emphasis on fully active seekers. Further, the Soviet fighter threat is expected to be enhanced by the development of an aerial refueling capability. These technological improvements, when coupled with improvements in Soviet pilot training, evolving Soviet doctrine, and the deployment of the Mainstay AWACS could lead to a significant Soviet capability to project fighters deep into NATO airspace. This could have a profound impact on the threat to NATO airbases by increasing the penetrability of the Soviet attack force.

107. Fighter-Bomber/Bomber Force. The Soviet attack force is expected to benefit from some growth in numbers. However, as in the fighter force, qualitative improvements will be more important. In aircraft, the primary improvement will involve the deployment of new aircraft with improved sensors which could

allow accurate night/adverse-weather attacks. These aircraft will be capable of employing standoff, all-weather, precision-guided weapons. Future ground attack aircraft will also feature greater range and payload, and probably will be air refuelable enabling deeper strikes to be conducted. Moreover, the penetrability of the airfield attack force will increase due to improved EW capabilities. These improvements will consist of more capable escort EW aircraft and more capable internal EW suites on Soviet aircraft.

108. Tactical Air-to-Surface Missiles. We believe future Soviet TASMs will have nominal ranges in excess of 50 kilometers with improved accuracy and improved night and adverse-weather capability. The missiles will feature lower launch altitudes and launch-and-leave guidance for increased aircraft survivability. TASMs could be supplemented by Soviet bombers carrying improved air-to-surface missiles and conventionally armed cruise missiles.

109. Conventional Munitions. We estimate the Soviets will deploy more effective munitions for airfield attack, including a dual-stage runway penetrator bomb for increased runway damage, aerially delivered mines to hinder runway repairs, and precision-guided bombs for attacking high-value point targets. With the expected deployment of new weaponry, when combined with improved aircraft, air attack remains the primary threat to NATO airbases.

110. Short-Range Ballistic Missiles/Cruise Missiles. In the future, SRBMs will supplement the air threat to NATO airbases in the Central Region. The SRBM threat, while currently marginal, will grow when the Improved SS-23 commences deployment during the period 1985-90. This missile will feature both the range and the accuracy to attack airfields. The degree of this threat will depend on the numbers of the system deployed and on whether or not specialized airfield attack munitions are developed. Because of the limited range, the currently fielded SS-21 will continue to pose a threat to only the forwardmost elements of NATO's air defense systems. The Soviets may also develop cruise missiles optimized for nonnuclear airfield attacks, but this is unlikely to be a significant threat in the period of this Estimate.

111. Command, Control, and Communications. A major improvement in this area will be the deployment of the Mainstay AWACS, which will enhance Soviet air battle management. This system will give the Soviets the potential to extend air power deep into NATO territory. This will not only improve their potential to defend their territory, but enhance the

Approved For Release 2008/12/05: CIA-RDP87T00126R000700800007-8

SECRET	

ability of Soviet escort fighters to engage NATO air defense aircraft. The Soviets will also improve their command, control, and communications capability by continuing to emphasize communications security and resistance to jamming by fielding new technology. They will continue to improve both the capability and the capacity of their air-to-air communications. They

will probably employ airborne use of communications satellites and extend their communications coverage into unused parts of the electromagnetic spectrum. The deployment of the AWACS and improvements in communications would give the Soviets an improved capability to project and direct airpower over NATO's airbases.

25X1

Secret

Secret